

# **Home Energy Scoring Tool**

## **Data Collection Form**

OMB Control #: 1910-5148 DOE HQ F 413.25 Exp. Date.: 7/31/2023

Location Information				
Address:		City:	State:	<u>Zip</u> :
Assessment Type: Initial , Preconstruction	/ Final / QA / Alterna	ative EEM (Energy Efficiency	Measures) / <b>Test</b> / <b>Corr</b>	ected / Mentor /
Assessment Date:		Assessor:		<del></del>
Comments:				
Home Details				
Year Built:	# of Bedrooms	: 1/2/3/4/5/6/7/8/	9 / 10 # of Stories Abo	ove Grade: 1/2/3/4
Average Ceiling Height (ft)	): 6/7/8/9/10/	11 / 12 Conditioned Floo	<u>r Area</u> (sq ft):	
Direction Faced by Front o	of House: N/NE/E	/ SE / S / SW / W / NW		
<u>Air Tightness</u>				
Was a Blower Door test co	onducted on this hou	use?: Yes / No		
Air Leakage rate:	cfm50	Has the house been profe	essionally air sealed?: Yes	s / No
Roof / Attic 1	Attic 1 Area (sq ft):			
Roof Construction: Stand	ard Roof / with Rad	iant Barrier / with Rigid Foa	ım Sheathing	
Exterior Finish: Composit	ion Shingles or Met	al / Wood Shakes / Clay Tile	e / Concrete Tile / Tar & G	Gravel
<u>Insulation Level</u> (applied t	o roof): <b>R-0 / R-11</b> /	<sup>′</sup> R-13 / R-15 / R-19 / R-21 /	R-27/ R-30	
Roof Color: White / Light	/ Medium / Mediur	m Dark / Dark / Cool Color:	(reflectivity)	
Attic or Ceiling Type: Unc	onditioned Attic / C	onditioned Attic / Cathedra	l Ceiling	
Attic Floor Insulation: R-0	/ R-3 / R-6 / R-9 / R-	11 / R-19 / R-21 / R-25 / R-3	30 / R-38 / R-44 / R-49 / I	R-60

Roof / Attic 2 Attic 2 Floor Area (sq ft):

Roof Construction: Standard Roof / with Radiant Barrier / with Rigid Foam Sheathing

**Exterior Finish:** Composition Shingles or Metal / Wood Shakes / Clay Tile / Concrete Tile / Tar & Gravel

<u>Insulation Level</u> (applied to roof): R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-30

Roof Color: White / Light / Medium / Medium Dark / Dark / Cool Color: \_\_\_\_\_ (reflectivity)

Attic or Ceiling Type: Unconditioned Attic / Conditioned Attic / Cathedral Ceiling

Attic Floor Insulation: R-0 / R-3 / R-6 / R-9 / R-11 / R-19 / R-21 / R-25 / R-30 / R-38 / R-44 / R-49 / R-60

Foundation 1 Area (sq ft):

<u>Type:</u> Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace

Floor Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38

Foundation Wall Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall)

Foundation 2 Area (sq ft):

<u>Type:</u> Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace

Floor Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38

Foundation Wall Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall)

Walls

<u>Is this home a Townhouse or Duplex?</u>: Yes / No <u>Position of Unit</u>: Middle / Right / Left

Wall Characteristics: Front or All (circle one)

<u>Construction</u>: Wood Frame / Wood Frame with rigid foam sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer / none

<u>Wall Insulation</u>: R-0 / R-3 / R-6 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

Skylights: Yes or No (circle one):
Total Skylight Area (sq. ft.): Number of Panes: Single-pane / Double-pane / Triple-pane
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl
Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill
-OR- Actual window specifications = <u>U-Factor</u> (from 0.01 – 5.00): <u>SHGC</u> (from 0.0 – 1.0):
Window Area (sq. ft.):
Front: Back: Right Side: Left Side:
Window Characteristics: Front or All (circle one) Solar Screens: Yes / No
Panes: Single-pane / Double-pane / Triple-pane
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl
Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill
<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5.00): <u>SHGC</u> (from 0.0 – 1.0):
>BACK<
Wall Characteristics: Back
<u>Construction</u> : Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale
Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer
Wall Insulation: R-0 / R-3 / R-6 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38
Window Characteristics: Back Solar Screens: Yes / No
Panes: Single-pane / Double-pane / Triple-pane
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl
Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill
-OR- Actual window specifications = <u>U-Factor</u> (from 0.01 – 5.00): <u>SHGC</u> (from 0.0 – 1.0):

#### >RIGHT SIDE<

Wall Characteristics: Right Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-6 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

Window Characteristics: Right Side (facing house) Solar Screens: Yes / No

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5.00): <u>SHGC</u> (from 0.0 – 1.0): \_\_\_\_\_

#### >LEFT SIDE<

Wall Characteristics: Left Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-6 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

<u>Window Characteristics: Left Side (facing house)</u> <u>Solar Screens:</u> Yes / No

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5.00): <u>SHGC</u> (from 0.0 – 1.0): \_\_\_\_\_

System 1	% of floor area served:			
Heating (Syste	<u>em 1)</u>			
central furnac	e / Propane (LPG) wall furnace lectric baseboard heater / Grou	/ Propane (LPG) boiler / Oil	the-wall) gas furnace / Gas boiler / Propane I furnace / Oil Boiler / Electric furnace / Elec Minisplit (ductless) heat pump / Electric boil	tric
Heating Syster	m 1 Efficiency: Do you kno	ow the actual heating syster	m efficiency?: <b>Yes / No*</b>	
	he Assessor Calculator to deter			
Efficiency Valu	e (AFUE or HSPF):	OR Year Installed	<u>d</u> :	
Cooling (Syste	<u>m 1)</u>			
	g 1 System: None / Central air iround coupled heat pump / Di		ditioner / Electric heat pump / Minisplit (du	ıctless)
Cooling System *You can use t	n <b>1 Efficiency:</b> Do you kni he Assessor Calculator to deter	ow the actual cooling syster mine the approximate effici		
Efficiency Valu	e (SEER or EER):	OR Year Installed:		
Duct (System 2	1)			
Duct Location Unconditioned	<del></del>	conditioned basement / Ve	ented crawlspace / Unvented crawlspace /	
Percentage of	Ducts in this location:	Are ducts sealed?: Yes	5 / No Are ducts insulated?: Yes / No	
Duct Location Unconditioned	<del></del>	conditioned basement / Ve	ented crawlspace / Unvented crawlspace /	
Percentage of	Ducts in this location:	Are ducts sealed?: Yes	s / No Are ducts insulated?: Yes / No	
Duct Location Unconditioned		conditioned basement / Ve	ented crawlspace / Unvented crawlspace /	
Percentage of	Ducts in this location:	Are ducts sealed?: Yes	s / No Are ducts insulated?: Yes / No	
System 2	% of floor area served:			
Heating (Syste	em 2)			
central furnac	e / Propane (LPG) wall furnace	/ Propane (LPG) boiler / Oil	the-wall) gas furnace / Gas boiler / Propane I furnace / Oil Boiler / Electric furnace / Elec Iinisplit (ductless) heat pump / Electric boil	tric

**Wood Stove / Pellet Stove** 

Heating System 2 Efficiency:  Do you know the actual heating system efficiency!: Yes / No*
*You can use the Assessor Calculator to determine the approximate efficiency!
Efficiency Value (AFUE or HSPF):OR Year Installed:
Cooling (System 2)
<u>Type of Cooling 2 System</u> : None / Central air conditioner / Room air conditioner / Electric heat pump / Minisplit (ductless) heat pump / Ground coupled heat pump / Direct evaporative cooling
<u>Cooling System 2 Efficiency:</u> Do you know the actual cooling system efficiency?: Yes / No*  *You can use the Assessor Calculator to determine the approximate efficiency!
Efficiency Value (SEER or EER): OR Year Installed:
Duct (System 2)
<u>Duct Location 2 (#1):</u> Conditioned Space / Unconditioned basement / Vented crawlspace / Unconditioned attic
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No
<u>Duct Location 2 (#2):</u> Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No
<u>Duct Location 2 (#3):</u> Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No
Hot Water:
<u>Water Heater Type</u> : Electric Storage / Natural Gas Storage / LPG Storage / Oil Storage / Electric Instantaneous / Gas Instantaneous / Propane Instantaneous / Electric Heat Pump
Hot Water System Efficiency: Do you know the actual water heater energy factor?: Yes (EF) / Yes (UEF) / No* *You can use the Assessor Calculator to determine the approximate energy factor (EF)!
<u>Energy Factor</u> (between 0.0 – 1.0): <b>OR</b> <u>Year Installed</u> :
Photovoltaic (PV) System
Year Installed: Direction Panels Face: N / NE / E / SE / S / SW / W / NW
# of Panels: or DC Capacity:
Notes:

## **Assessment Checklist**

General Info:	☐ Upper Floor			
	□ Square feet			
☐ # of bedrooms	☐ Ceiling Height			
_	☐ Skylights?			
☐ Blower door test?	☐ Windows			
☐ Professionally air sealed?	_			
☐ Window specs?	☐ Main Floor			
	☐ Square feet			
<u>Outside</u>	☐ Ceiling Height			
☐ House Orientation	☐ Skylights?			
☐ # of stories	☐ Windows			
☐ Roof: Predominant exterior finish	☐ Walls & insulation			
□ Color	$\square$ Crawlspace - insulation type & amount			
	☐ Ducts?: Insulated? Sealed?			
☐ Walls: Same type on all sides?	☐ Basement – Conditioned?			
<ul><li>☐ Construction type</li><li>☐ Exterior finish</li></ul>	☐ Square feet			
_	☐ Ceiling Height			
☐ Windows: Same on all sides?	☐ Windows			
☐ Panes	□ Walls & insulation			
☐ Frame	☐ HVAC Equipment			
☐ Glazing	☐ Type?			
<u>Inside</u>	☐ Year or SN?			
Attic	☐ Water Heater			
☐ Roof Construction	☐ Type?			
	☐ Year or SN?			
<ul><li>☐ Insulation type &amp; amount</li><li>☐ Air sealed?</li></ul>	□ PV			
<ul><li>Air handler present? Type and year</li></ul>	☐ Age☐ Orientation			
☐ Ducts?: Insulated? Sealed?				
□ Ducts:. Ilisulateu: Sealeu:	☐ # of Panels or Capacity			

### Window Dimensions:

Front		Back		Right		Left	
							<u> </u>
							<b>†</b>
							<b>†</b>
							<b></b>
							<u> </u>
							<del> </del>
							İ
	<u> </u>		<u>i</u>	<u> </u>	<u> </u>		<u></u>

Layout:

Public reporting burden for this collection of information is estimated to average one (1) hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Office of the Chief Information Officer, Records Management Division, IM-23, Paperwork Reduction Project (1910-5184), U.S. Department of Energy, 1000 Independence Ave SW, Washington, DC, 20585-1290; and to the Office of Management and Budget (OMB), OIRA, Paperwork Reduction Project (1910-5184), Washington, DC 20503.